



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Project Wires (200-300 Mtrs.)

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	3080	9395	
RG - 6	3880	11835	114000
RG - 11	8545	26060	173000
RG-6 CCS	2130	6500	94000
RG-11 CCS	4600	14030	142000

POLYCAB LAN (COMPUTER) CABLES

Size	UOM	Rate in Rs.
CAT 5e UTP FR -PVC	305 MTRS.	13900
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	14600
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	14840
CAT 6 FTP FR PVC	305 MTRS.	19835
CAT 6A UTP PVC-FR	305 MTRS.	18970
CAT 6A FTP PVC-FR	305 MTRS.	22840
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	123000
CAT6 FTP- Armoured / Flexible Armoured	1000 MTRS.	137500
CAT6 A UTP- Armoured / Flexible Armoured	1000 MTRS.	137500
CAT6 A FTP- Armoured / Flexible Armoured	1000 MTRS.	152000

POLYCAB CCTV CABLES

Size	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4480
CCTV 4+1	90 MTRS.	4900
CCTV 3+1	180 MTRS.	8960
CCTV 4+1	180 MTRS.	9800
CCTV 4+1 Armoured	1000 MTRS.	162000



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	955	1355	860	1220	20
2 Pair	1710	2465	1540	2220	20
3 Pair	2575	3500	2315	3150	16
4 Pair	3225	4625	2900	4160	12
5 Pair	4195	5790	3775	5210	8
10 Pair		11550		10395	1
20 Pair		22825		20540	1
50 Pair		57100			1
100 Pair		112900			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	10800	10800	10600
2.5	17100	17100	16800
4	24900	24900	24500
6	36800	36800	36100
10	63800	63800	
16	98500	98500	
25	157500	157500	
35	216100	216100	



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

**POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES
FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT
RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-
694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE
GRADE 1100 VOLTS**

**POLYCAB PVC INSULATED SINGLE CORE
UNSHEATHED INDUSTRIAL(MULTISTRAND)
CABLES – HALOGEN FREE FLAME RETARDANT
(HFFR) WITH BRIGHT ANNEALED
ELECTROLYTIC BARE COPPER CONDUCTOR FOR
VOLTAGE GRADE 1100 VOLTS**

Size (sq.mm.)	FRLF	FRLS-H	GREEN WIRES HR-FRLS-H-LF	HFFR	Coils Per Box
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	
0.75	4780	4930	5000	5185	10
1	6275	6460	6550	6730	8
1.5	9225	9500	9635	9920	6
2.5	14975	15435	15655	16100	4
4	15165	15630	15845	16315	4
6	22690	23370	23715	24400	3
10	40355	41545	42155	43345	1
16	63340	65220	66165	68065	1

Notes

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1120	24
0.75	24/.2	8	1620	24
1	32/.2	13	2095	20
1.5	30/.25	17	2995	16
2.5	50/.25	24	4950	12
4	56/.3	30	7590	8
6	84/.3	38	11200	6
10	80/.4	52	19400	1
16	126/.4	70	31200	1
25	196/.4	88	48500	1
35	276/.4	110	68000	1
50	396/.4	145	96100	1
70	354/.5	215	135000	1
95	484/.5	260	185300	1
120	608/.5	305	240100	1
150	750/.5	355	296300	1
185	925/.5	415	366800	1
240	1210/.5	500	476400	1
300	1527/.5	585	598700	1
400	2036/.5	695	805100	1
500			1063700	1
630			1341300	1

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3330	4425	5540	5	7235	8510
4550	6015	7605	5	9950	11925
5570	7525	9725	5	12700	15325
7380	10250	13600	5	17900	21300
11900	16250	21800	4	28300	34000
17800	25200	33200		45600	54900
26000	37050	48300		66600	82200
44200	63200	82800		113200	138300
69800	100400	131100		174600	
112500	160500	211300		284700	
155200	223400	292100		393800	
222300	315400	415800		572500	
309700	439500	584900		789600	



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	9500	11100	13700	16000
0.75	24/.2	8	13400	15600	19400	22900
1	32/.2	13	17100	19800	24400	28900
1.5	30/.25	17	23900	27900	33800	40400
2.5	50/.25	24	39200	44600	55800	65700
4	56/.3	30	62300	72300		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	18900	21100	24400	31100
0.75	24/.2	8	26700	30100	34900	44600
1	32/.2	13	33600	38200	45200	57100
1.5	30/.25	17	46900	53600	63300	79700
2.5	50/.25	24	76900	87900	104000	130200

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area mm ²	No/Dia of Strands No/mm	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
			Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	16800	22900
10	80/0.4	75	28200	38400
16	126/0.4	103	41700	48700
25	196/0.4	126	66700	74400
35	276/0.4	152	91400	100400
50	396/0.4	189	127500	139800
70	354/0.5	240	175400	192400
95	484/0.5	297	238300	248100
120	608/0.5	346	301200	313400
150	750/0.5	390	376200	391800
185	925/0.5	460	459300	473100
240	1210/0.5	552	596900	623000
300	1527/0.5	640	744200	783400
400	2036/0.5	753	992700	1038900



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1160	24
0.75	24/.2	8	1680	24
1	32/.2	13	2165	20
1.5	30/.25	17	3095	16
2.5	50/.25	24	5130	12
4	56/.3	30	7855	8
6	84/.3	38	11600	6
10	80/.4	52	19800	1
16	126/.4	70	32300	1
25	196/.4	88	50300	1
35	276/.4	110	70200	1
50	396/.4	145	99500	1
70	354/.5	215	139700	1
95	484/.5	260	191800	1
120	608/.5	305	248700	1
150	750/.5	355	306600	1
185	925/.5	415	379600	1
240	1210/.5	500	493200	1
300	1527/.5	585	619700	1
400	2036/.5	695	833200	1
500			1101100	1
630			1388200	1

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3590	4760	5970	5	7770	9150
4880	6480	8175	5	10650	12900
5995	8095	10450	5	13850	16350
7755	10650	14400	5	18800	22450
12400	17150	23150	4	29650	35900
18700	26400	34600		48000	57600
27200	38800	50800		69900	86500
46300	66300	87000		118900	145000
73300	103300	140000		183200	
118200	168500	221800		299000	
163000	234700	306700		413400	
233400	331300	436600		601400	
325100	461600	614100		829000	
	643300	861800			
	821200	1082000			
	1037600	1367900			
	1248400	1656100			
	1645300	2176400			
	2046000	2644000			
	2727700	3527200			

**POLYCAB INDIA LIMITED**

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	10150	11900	14700	17300
0.75	24/.2	8	14500	16800	20700	24400
1	32/.2	13	18400	21400	26200	31000
1.5	30/.25	17	25100	29300	35600	42200
2.5	50/.25	24	41100	46900	58900	68800
4	56/.3	30	65500	76000		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	20000	22700	26400	33500
0.75	24/.2	8	28600	32500	37600	47800
1	32/.2	13	36100	41100	48500	61500
1.5	30/.25	17	49200	56100	66400	83500
2.5	50/.25	24	80800	92400	109200	136600



POLYCAP INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAP SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618		Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	6650	2.5	6150
4	9490	4	9025
6	13600	6	12825
10	24600		
16	38700		
25	61500		
35	85600		
50	121600		
70	169800		
95	232700		
120	294100		

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	5805	7445	8625	11200	17300
3	7630	9515	11600	15500	24400
4	8925	11950	14600	19600	30600
5	10700	14300	17800	23500	37200
6	12200	16400	20900	28500	44700
7	13400	18500	23000	31900	52800
8	15100	20900	26200	36400	58900
10	17800	24700	31900	44000	71400
12	21200	29800	37400	52800	85300
14	24500	35300	44200	61800	
16	27000	39000	48700	68200	
19	31300	42800	59400	80000	
24	39300	55900	72000	102700	

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	9500	11500	13100	16000	24400	33300	46800				
3	11100	14300	17800	22000	32400	51200	71400	108300	163700	308500	404800
4	13700	17800	21700	27100	41000	62500	87000	145600	234900	371800	514600
5	17200	21400	24700	33000	55000						
6	18500	24400	28500	38600	61700						
7	19900	28000	32400	42800	69800						
8	23200	33300	36900	49300	72900						
10	29300	36600	49100	61900	81300						
12	33300	41300	52600	69800	95200						
14	36600	49100	61700	83600	114500						
16	39200	57100	69300	92000	134700						
19	46800	67800	81800	114500	174000						
24	56400	75500	102600	140400	218100						



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	10100	12100	13600	16900	24500	34500	48000
3	12200	14900	17100	22100	32800	48700	66800
4	14500	18200	21200	27700	41500	60700	86900
5	16900	21500	25900	33800	50400		
6	19400	25100	29800	39000	59600		
7	21000	27500	33000	43800	66800		
8	23900	31100	37300	50300	76900		
10	29000	38200	46000	61300	95100		
12	33100	44400	53100	71500	111200		
14	37700	50400	60700	82600	127900		
16	42200	56700	68900	93100	145500		
19	48400	65700	80500	109300	170400		
24	60500	82100	100700	137000	214200		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	78300	117200	177700	242200	344200	472000	631400
3	110300	166000	255200	348900	496200	685400	917300
4	143900	217500	335800	460400	654500	904300	1211900

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2405	23/38	1720	0.5 Sq.mm	2560	1.5 Sq.mm	6660
40/36	3760	40/38	2640	0.75 Sq.mm	3675	2 Sq.mm	8880
70/36	5185	70/38	4320	1 Sq.mm	4840	2.5 Sq.mm	11825

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	41700
25	160	796/0.2	62300
35	230	1115/0.2	87300
50	400	703/0.3	125000
70	600	999/0.3	174200
95	700	1346/0.3	235600
120	1100	1699/0.3	291600



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS 694

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	1070
2.5	1690
4	2410
6	3315
10	5525
16	8100
25	12500
35	17200
50	19500
70	25500
95	45300

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE_FLAT & THREE CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	5890
2 Core	4	7890
2 Core	6	10450
2 Core	10	15225
2 Core	16	22100
3 Core	2.5	8700
3 Core	4	11400
3 Core	6	13400
3 Core	10	24900
3 Core	16	33100
4 Core	2.5	10700
4 Core	4	14900
4 Core	6	21200
4 Core	10	31200
4 Core	16	41400



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	71	89	110	147	240	367
4	93	120	146	199	315	492
5	130	169	215	277	440	659
6	155	207	257	329	527	797
7	177	234	297	380	615	923
8	206	268	337	438	706	1058
9	237	315	393	502	813	1207
10	263	346	434	556	900	1346
12	308	412	517	660	1072	1608
14	373	486	605	787	1262	1887
16	421	555	700	894	1446	2161
18	466	613	784	1002	1604	2402
24	634	834	1061	1214	2162	3251



POLYCAB INDIA LIMITED

LDC LP No. 10/2022-23 Dtd : 3rd February 2023

UNINYVIN CABLES

Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	25.30
20	0.556	32.60
18	0.966	48.20
16	1.17	57.20
14	2.05	88.00
12	3.22	128.00
10	5.33	181.00
8	8.76	281.00
6	13.30	414.00
4	21.50	657.00
2	33.30	1005.00
1	40.70	1216.00
0	53.00	1580.00
00	68.30	2011.00
000	84.20	2491.00
0000	109	3204.00